DØØKET NO.: P05842 (NATI15-05842) stomer No.: 23990

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

SERGEI DRIZLIKH ET AL.

U.S. Serial No.

10/821,491

Filed

April 9, 2004

For

SYSTEM AND METHOD FOR MINIMIZING INCREASES IN VIA

RESISTANCE BY APPLYING A NITROGEN PLASMA AFTER A

TITANIUM LINER DEPOSITION

Group No.

2812

Examiner

Lynne Ann Gurley

MAIL STOP AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

The undersigned hereby certifies that the following documents:

- 1. Response to Restriction Requirement; and
- 2. Postcard receipt;

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to, MAIL STOP AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on April 11, 2005.

pril 11, 2005 Dril 11, 2005

William A. Munck Reg. No. 39,308

P.O. Drawer 800889 Dallas, Texas 75380 Phone: (972) 628-3600

Fax: (972) 628-3616

E-mail: wmunck@davismunck.com

DOCKET NO.: P05842 (NATI15-05842) PATENT

Sustomer No.: 23990

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

SERGEI DRIZLIKH ET AL.

U.S. Serial No.

10/821,491

Filed

April 9, 2004

For

SYSTEM AND METHOD FOR MINIMIZING INCREASES IN

VIA RESISTANCE BY APPLYING A NITROGEN PLASMA

AFTER A TITANIUM LINER DEPOSITION

Group No.

2812

Examiner

Lynne Ann Gurley

MAIL STOP AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

RESPONSE TO RESTRICTION REQUIREMENT

This Response to Restriction Requirement is filed in response to the Restriction Requirement that was mailed on March 10, 2005. The date for responding to the Restriction Requirement is April 10, 2005. Because April 10, 2005 is a Sunday, the time for responding to the Restriction Requirement is extended to Monday, April 11, 2005.

Please enter the Applicants' Response to Restriction Requirement as follows.